

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	("LC" adj filter adj (device or component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 20:00
L2	4	("4314213" "4320364" "4591814" "4758808").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 20:04
L3	20	("5034710").URPN.	USPAT	OR	ON	2006/04/10 20:05
L4	39	("5497137").URPN.	USPAT	OR	ON	2006/04/10 20:07
L5	7	("5099387" "5250923" "5278526" "5497137" "5610565" "5834992" "5880662").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 20:13
L6	2	(ground adj electrodes) and (output adj electrode) and (induct\$3 adj (pattern or wiring)) and (ground adj (pattern or wiring))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 20:17
L7	3	("6294967" "6492886" "6791435").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 20:16
L8	2	(ground adj electrodes) and (output adj electrode) and (induct\$3 adj (pattern or wiring)) and (ground adj (pattern or wiring)) and capacit\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 20:18

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	(pliant adj conduct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:30
L2	4	("3028573" "4972175" "5999097").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 11:26
L3	122	"428"/\$.ccls. and (pliant near3 material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:34
L4	7	257/600-790.ccls. and (pliant near3 material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:36
L5	6	174/250-268.ccls. and (pliant near3 material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:37
L6	5	361/760-825.ccls. and (pliant near3 material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:39
L7	509	(interconnection with mechanical with stress)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:55
L8	138	(interconnection with mechanical with stress) with (substrate or board) with (chip or component or IC or die)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:41
L9	0	(interconnection with mechanical with stress) with pliant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:56

EAST Search History

L10	2	(interconnection with mechanical with stress) and pliant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:56
-----	---	--	---	----	----	------------------